



Musculoskeletal Condition Treatment Tables

(1221-02)

Indication	Treatment	Minimum Usage and Dose	Duration
Arthritis	WHITEE Patch / LC Balancer	6 - 18 Patches 4 - 12 LC Balancers: <i>(1 Capsule, 3x)</i>	1 - 3 months
Arthritis Ankylosing Spondylitis	WHITEE Patch / LC Balancer / Brown Formula / Java Formula	18 Patches 12 LC Balancers: <i>(1 Capsule, 3x)</i> 6 Brown: <i>(3 Capsules, 3x)</i> 6 Java: <i>(2 Capsules, 2x)</i> Alternate Java and Brown Bi-Weekly	3 months
Arthritis Gout	WHITEE Patch / LC Balancer / Xcel	6 - 18 Patches 4 - 12 LC Balancers: <i>(1 Capsule, 3x)</i> 4 - 12 Xcel: <i>(2 Capsules, 3x)</i>	1 - 3 months
Arthritis Psoriatic	LC Balancer / Brown	4 - 12 LC Balancers: <i>(1 Capsule, 3x)</i> 4 - 12 Brown: <i>(3 Capsules, 3x)</i>	1 - 3 months
Arthritis Rheumatoid	WHITEE Patch / LC Balancer / Java / Brown if there is liver damage	6 - 18 Patches 4 - 12 LC Balancers: <i>(1 Capsule, 3x)</i> 4 - 12 Java: <i>(2 Capsules, 2x)</i> Alternate Java and Brown Bi-Weekly if needed	1 - 3 months
Avascular Necrosis with GI Condition	WHITEE Patch / LC Balancer SJ / Spring Capsule / Formula B / Brown	6 Patches 4 or more LC Balancer: <i>(1 Capsule, 3x)</i> 4 or more SJ: <i>(2 Capsules, 3x)</i> 4 or more Spring Capsules: <i>(2 Capsules, 3x)</i> 4 or more Formula B <i>(3 Capsules, 3x)</i> 4 or more Brown: <i>(3 Capsules, 3x)</i>	3 - 6 months
Bone Fractures Acute Stage	FASTT Patch	6 Patches	17 days
Bone Fractures Non-Union	FASTT / WHITEE Patch	Start with 6 FASTT then 6 WHITEE to dissolve scarring	17 days - 1 month
Bone Spurs	WHITEE Patch / LC Balancer / Brown	20 - 38 Patches (1 st session needs 8 patches) 4 - 24 LC Balancers: <i>(1 Capsule, 3x)</i> 4 - 24 Brown: <i>(3 Capsules, 3x)</i>	3 - 6 months
Bunions	WHITEE Patch / LC Balancer	6 - 18 Patches 4 - 12 LC Balancers: <i>(1 Capsule, 3x)</i>	1 - 3 months
Bursitis	FASTT / WHITEE Patch	6 FASTT If there's no pain reduction, 6 WHITEE to treat nearest joint	17 days - 1 month
Cysts Baker's Cysts	WHITEE Patch / LC Balancer	6 - 18 Patches 4 - 12 LC Balancers: <i>(1 Capsule, 3x)</i>	1 - 3 months
Cysts Ganglion	WHITEE Patch / LC Balancer	6 - 18 Patches 4 - 12 LC Balancers: <i>(1 Capsule, 3x)</i>	1 - 3 months

Cysts Tarlov Cyst	WHITEE Patch / LC Balancer / Sona / Breez	6 - 18 Patches 4 - 12 LC Balancers: <i>(1 Capsule, 3x)</i> If there is no improvement, Sona <i>(3 Capsules, 3x)</i> , Breez <i>(1 Capsule, 3x)</i>	1 - 3 months
Disc Injury Bulging Disc	WHITEE Patch / LC Balancer	6 - 18 Patches 4 - 12 LC Balancers: <i>(1 Capsule, 3x)</i>	1 - 3 months
Disc Injury Degenerative Disc Disease	WHITEE Patch / LC Balancer	6 - 18 Patches 4 - 12 LC Balancers: <i>(1 Capsule, 3x)</i>	1 - 3 months
Disc Injury Herniated Disc	WHITEE Patch / LC Balancer	6 - 18 Patches 4 - 12 LC Balancers: <i>(1 Capsule, 3x)</i>	1 - 3 months
Disc Injury Slipped Disc	FASTT Patch / WHITEE Patch / LC Balancer	6 - 18 WHITEE on disc 6 - 18 FASTT to the side 4 - 12 LC Balancers: <i>(1 Capsule, 3x)</i>	1 - 3 months
Facet Syndrome	WHITEE Patch / LC Balancer	12 - 18 Patches 8 - 12 LC Balancers: <i>(2 Capsule, 3x)</i>	2 - 3 months
Failed Back Surgery	WHITEE Patch / LC Balancer	6 - 18 Patches 4 - 12 LC Balancers: <i>(1 Capsule, 3x)</i>	1 - 3 months 50% success if there's metal implants
Growth Plate Injuries	WHITEE Patch / LC Balancer	6 - 18 Patches 4 - 12 LC Balancers: <i>(1 Capsule, 3x)</i>	1 - 3 months
Hernias Umbilical and Inguinal	Spring Patches / Sunrise / Additional: Park / Sona / Breez / B-2	6 - 18 Patches 4 - 12 Sunrise: <i>(3 Capsules, 3x)</i> If there is no improvement, 4 -12 Park: <i>(2 Capsules, 3x)</i> for 1-3 months 4 Sona: <i>(3 Capsules, 3x)</i> for 1 month 4 Breez: <i>(1 Capsule, 3x)</i> for 1 month 4 B-2: <i>(2 Capsules, 3x)</i> for 1 month	1 - 3 months
Meniscus and Cartilage Tear Mild / Moderate	WHITEE Patch / LC Balancer	6 Patches 4 LC Balancers: <i>(1 Capsule, 3x)</i>	1 month
Meniscus and Cartilage Tear Severe	WHITEE Patch / LC Balancer	6 - 18 Patches 4 - 12 LC Balancers: <i>(1 Capsule, 3x)</i>	1 - 3 months
Morton's Neuroma	WHITEE Patch	6 - 18 Patches	1 - 3 months
Multiple Sclerosis	WHITEE Patch / LC Balancer / Brown	6 - 18 Patches on spinal lesions 12 - 24 LC Balancers: <i>(1 Capsule, 3x)</i> 12 - 24 Brown: <i>(3 Capsules, 3x)</i>	3 - 6 months
Muscle Spasms	FASTT Patch	6 Patches	17 days
Muscle Stain/Ligament Sprain First Degree	FASTT Patch	1 Patch	2 days
Muscle Stain/Ligament Sprain Second Degree	FASTT Patch	2 - 6 Patches	5 - 17 days
Muscle Stain/Ligament Sprain Third Degree	FASTT Patch	6 Patches (start 5 - 14 days after surgery)	17 days

Muscle Stain/Ligament Sprain Chronic Stage	FASTT / WHITEE Patch / LC Balancer	3 - 9 FASTT Patches 3 - 9 WHITEE Patches 4 - 12 LC Balancers: (1 Capsule, 3x) Alternate FASTT and WHITEE Patches	1 - 3 months
Osteoarthritis Mild / Moderate	WHITEE Patch / LC Balancer /	6 Patches 4 LC Balancers: (1 Capsule, 3x)	1 month
Osteoarthritis Severe	WHITEE Patch / LC Balancer / Additional: Brown	6 - 18 Patches 4 - 12 LC Balancers: (1 Capsule, 3x) If there is joint swelling 4 Brown: (3 Capsules, 3x)	1 - 3 months
Osteoarthritis Bone-on-Bone Condition	WHITEE Patch / LC Balancer / Additional: Brown	16 Patches: (8 patches for the 1 st month) 12 LC Balancers: (1 Capsule, 3x) If there is joint swelling: 4 Brown: (3 Capsules, 3x)	3 months
Osteoarthritis Hip with GI Condition	WHITEE Patch / LC Balancer / SJ / Spring Capsule / Formula B Additional: brown	6 -12 Patches 4 - 12 LC Balancers: (1 Capsule, 3x) 4 SJ: (2 Capsules, 3x) 4 Spring Capsules: (2 Capsules, 3x) 4 Formula B: (3 Capsules, 3x) If there is liver damage or joint swelling: 4 Brown: (3 Capsules, 3x)	1 - 3 months 2nd month follow regular Osteoarthritis protocol
Pinched Nerve	WHITEE Patch / LC Balancer	6 Patches 4 LC Balancers: (1 Capsule, 3x)	1 months
Post-Surgical Wounds	FASTT Patch	6 Patches (Start 5 - 14 days after surgery)	17 days
Scar Tissue	WHITEE Patch	6 Patches	1 month
Stenosis	WHITEE Patch / LC Balancer / Brown Optional: Xcel	20 - 38 Patches (need 8 patch in the 1 st month) 12 - 24 LC Balancers: (1 Capsule, 3x) 12 - 24 Brown: (3 Capsules, 3x) If the kidney function is poor: Xcel: (2 Capsules, 3x)	3 - 6 months
Temporomandibular Joint Disorder (TMJ)	FASTT / WHITEE Patch / Brown /LC Balancer	6 FASTT If there's no pain reduction: 6 WHITEE to treat nearest joint If it's due to stress: 4 Brown: (3 Capsules, 3x) 4 LC Balancers: (1 Capsule, 3x)	17 days - 1 month
Tendon Injuries /Tendonitis Acute Stage	FASTT Patch	3 Patches	8 - 17 days
Tendon Injuries /Tendnosis Degeneration Stage	FASTT / WHITEE Patch / LC Balancer	6 FASTT Patches 6 WHITEE Patches 4 LC Balancers: (1 Capsule, 3x) Alternate FASTT and WHITEE patches	1 - 3 months

*Dosage amounts can be decreased based on practitioner recommendation. Treatment duration may vary depending on severity and practitioner recommendation. Please call Wei Lab consultant at 1-888-919-1188 for more information and to answer any of your questions.