



Multiple Sclerosis Treatment Protocol

We view multiple sclerosis as a result of chronic disorder of lipid metabolism. The neuron myelin sheath is composed primarily of lipid bilayers. When the lipid composition in the blood is unbalanced, the damaged lipid bilayers of the myelin sheath can not be replaced promptly. This may trigger the immune system's inflammation reaction and eventually lead to scar formation (lesions) in the brain and spinal column.

To help patients with such conditions, we recommend 1) applying the WHITEE Patch over the lesions in the spinal column based on the diagnosis of the MRI or CAT scan to dissolve the scar; 2) taking Brown and LC Balancer to improve the liver structure and function to restore the correct blood lipid composition which is necessary for the damage repair on the myelin sheath.

We have achieved over 90% success in treating MS patients with our products. Patient should have noticeable improvement with 2-3 weeks treatment of WHITEE Patches with Brown and LC Balancer. More significant improvement (over 50%) can be achieved with 3 months of treatment. Longer period treatment is recommended for further improvement. If the lesion is inside brain, it will take 6 weeks-3 months to have noticeable the improvement and will take 6-9 months to experience significant improvement.

Complication with weak kidney functions

As patients' liver is improving, a significant amount of waste products can be produced by the increased liver activities. If patients' kidney function is weak, the sudden load of waste molecules may not be able to be filtered out from the blood promptly. The waste molecules in the blood can cause exhaustions with symptoms including anxiety, fatigue, depressed, achy bones, burning skins, sleepy, etc. We recommend our Xcel Capsule to improve kidney function to clear up the wastes.

Complication with high cholesterol and/or hyperlipidemia

If patient also has high cholesterol and/or hyperlipidemia, their cholesterol and blood lipid should be improved with the initial 6 weeks of treatment before their MS related symptom being improved. Therefore, we recommend start to use the WHITEE Patch from the 7th week for patients with such complications.

Complication with poor lymphatic circulation (Spleen damp)

If patients also have symptoms of poor lymphatic circulation (spleen damp in TCM term) such as body heaviness, lower extremity edema or chronic diarrhea due to inflammatory bowel disease (IBD), they may not experience improvement with the treatment, or the improvement may reach plateau quickly. We recommend 1-2 weeks of treatment with Java and LC Balancer to improve the lymphatic circulation and clear the spleen damp. However, the spleen damp can be built up again when Brown and LC Balancer is resumed and patients may need to rotate between the Brown/LC Balancer and Java/LC Balancer.

Maintenance treatment

In order to keep the improved condition, it is recommended to take a maintenance dosage of Brown and LC Balancer for severe cases or take as needed for mild and moderate cases. The maintenance dosage of the Brown should be adjusted according to the intensity of the symptoms. It can be as low as 1/3 or 1/4 regular dosage, or up to 1.5 X to 2X regular dosage if the recurring symptom can not be cleared up at the regular dosage.

Usage information:

WHITEE Patch: Keep the patch on for 48 hours and take a 24 hour break before applying the next one. Take a 2 week break after using 6 Patches, then resume treatment with another 6 Patches. Continue such alternated treatment for the entire 3 months period. The tape is waterproof. Use vegetable oil to remove any herbal residue. Use Oxi-Clean to remove stains from cloth.

Brown: Take 3 Capsules, 3 times a day.

LC Balancer: Take 3 Capsules, 3 times a day.

Xcel Capsule: Take 2 Capsules, 3 times a day.

Java: Take 2 Capsules, 2 times a day.

Precautions:

- 1) Brown should be used along with the LC Balancer to prevent constipation.
- 2) Please avoid using ice to reduce pain. It will slow and interrupt the body's repair processes.
- 3) Patient may develop local skin rashes after using the WHITEE Patch. Such rashes may be part of the healing process due to the metabolic toxins from the elimination of damaged tissue brought to the skin surface, causing the irritation. Application of Aloe Vera gel is recommended.
- 4) Patients with preexisting gastro-intestinal sensitivity may experience healing pain such as a stomachache or loose stool after taking the LC Balancer, lasting up to a 1 week period.
- 5) Patients who are taking high dosages of vitamins or minerals should reduce them to the regular dosage to avoid overdose, as LC Balancer improves nutrient absorption.
- 6) The LC Balancer can be mixed with other liquids such as soda or juice to improve the taste.
- 7) There are no known contraindications to current medications.

Case: Successful Healing of Multiple Sclerosis (MS), Sed Rahimi, LAC/ND/Master Iridology, Thornhill, ON L3T2A7 Canada

A female patient, age 36 now, had been diagnosed with multiples sclerosis at the age of 28. Four years later at the age of 32 she approached Dr. Rahimi for help.

The patients symptoms were severe. She had a very heavy right leg and left hand. Both of her hands and legs were numb and tingling. Her lower back was tight. The patient turned out to have substantial stress constipation. Besides, her father had been a diabetic. He also suffered from the Parkinson disease along with high blood pressure. The MS symptoms had come up after the patients pregnancy. An MRI had unveiled that her brain as well as her cervical spine (C2/C3) showed lesion from 6 years ago.

Further diagnosis turned out a very low level of vitamin D. The ACTH was too low as well. Her adrenal indicated an exhausted cortisone level. Besides a low DHEA was discovered together with a low thyroidal and a very low progesterone.

Dr. Rahimi started a four months combined treatment composed of Wei Laboratories patches, Brown and LC Balancer. In addition, fish oil, vitamin D as well as adrenal support, magnesium and co-enzymes Q10 were applied. Some of the treatment regime was continued afterwards.

The results were amazing. The lesion of the spinal chord had been eliminated. The numbness was completely gone. The heaviness of the legs had been improved by 70%. The patient had much more energy. Two years after the completion of the treatment a diagnosis showed that the brain lesion did not shrink but it diffused. The head delineation was gone. Now four years after completing the treatment the patient is absolutely well which is truly amazing given her stressful life.

Case: Successful Multiple Sclerosis Treatment, Donald Snow, D.A.O.M., M.P.H., M.S., L.Ac. Lake Charles, LA 70605 United States

A patient diagnosed with multiple sclerosis suffered from severe fatigue for 22 years. She was prescribed an herbal treatment of Brown, Qi Booster and Xcel Capsules from Wei Laboratories. Within two weeks, the fatigue was gone and the patient reported great vital energy. Fatigue and sleep patterns were 100% better.